
EU Infrastru	cture Desktop Price		<del></del>
-lydro Cost	same Assert	•	
Desktop	ThinkCentre S50	IBM Part # 818332U	
Doortop	Intel Pentium 4-2.80Ghz		
	256 meg RAM		
-	40GB EIDE Hard Drive		
	48X Max EIDE CD-ROM		ł
	SoundMAX Credenza Audio		
=	3.5" 1.44 Diskette		,
	IBM USB Optical Wheel Mouse		<b>†</b> →
	Microsoft Windows XP Professional		4
	Three Year parts & labour On-site Warranty	-	
-	Three real parts a labour on old training	<u></u>	•
	17" Gseries Monitor	IBM Part # 66274AN	<del></del>
	17 Gaeries Monitor	, Divir die vi coze vi i	
	4th Year Warranty	IBM Part # YNDT340	
	Delivery	IBM Part # 43P8686	•
	Delivery	Hydro Cost	\$1.637.95
_	+ +	Tiyaro ooot	1
Neb Site Cost	+ +	1	Į.
	ThinkCentre S50	IBM Part # 818332U	\$1 579 00
Desktop	Intel Pentium 4-2.80Ghz	1	_4.,6.0.00
	256 meg RAM	4	1
	40GB EIDE Hard Drive		+ -
_	48X Max EIDE CD-ROM		+
	SoundMAX Credenza Audio	1	į.
	3.5" 1.44 Diskette	L	\$1,637.95 [\$1,579.00]
	IBM USB Optical Wheel Mouse	I	ŕ
	Microsoft Windows XP Professional	Į.	_
	_		,
	Three Year parts & labour On-site Warranty		1
	17" Gseries Monitor	IBM Part # 66274AN	\$299.00
	11 Genes Monitor	IDINI GILII OOLI TI'II	<b>\$200.00</b>
	4th Voor Warranty	IBM Part # YNDT340	\$99.00
	4th Year Warranty	IBM Part # 43P8686	· —
	Delivery	15W F att # 45F 0000	ψ17.55
		Web Price Cost	ř.

•



Canada



Select a country English | Français View all models

Home | Products & services | Support & downloads | My account | Call 1-888-SHOI

#### **Desktops**

ThinkCentre A Series

ThinkCentre M Series

ThinkCentre S Series

Netvista A Series

Netvista S Series

Netvista M Series

NetVista Thin clients

Accessories & Upgrades

Services

Support

ThinkVantage Technologies

Why buy NetVista

Client computing

solutions Presentations

News and Awards

Library

Home Office

Options by IBM

#### Find a Dealer

## Shopping help

Order status

Shopping cart

Open saved carts

Estimate shipping







Monitor nut included

View all models Why S Series Visual tour Overview

Series features:

- · Stable platform for up to 18 months following general availability (select models)
- Security models feature IBM Embedded Security Subsystem 2.0
- · Industry-leading tools for rapid system deployment, remote systems management
- · Range of optional ThinkVision monitors, including power-saving flat panels
- · Select models are available with Intel® Pentium® 4 processors with Hyper-Threading technology

View models by:

All Ltd. Warranty (selected)

Earm Eactor

Ethernet

Sort this chart by:

Availability

14-4-1

◆Add to cart

Price (lowest to highest)

Granbic

Model	Availability IBM Web Price	Form Factor Processor <sup>[1]</sup> Memory <sup>[10]</sup>	Graphic Hard Drive <sup>[5]</sup> Op <u>tic</u> al	Modem <sup>[4]</sup> Security Subsystem	O L
ThinkCentre \$50 818321U →Customize →Add to cart	CALL \$1,479.00*	Small Form Factor (2x3) 2.66 GHzIntel® Pentium® 4 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	10/100 Ethernet None None	T a
ThinkCentre \$50 818321F French →Customize →Add to cart	CALL <b>\$1,479.00</b> *	Small Form Factor (2x3) 2.66 GHzIntel® Pentium® 4 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	10/100 Ethernet None None	M X T a
ThinkCentre \$50 \$1832AU ♦Customize ♦Add to cart	Within 2 weeks* * \$1,529.00*	Small Form Factor (2×3) 2.66 GHzIntel® Pentium® 4 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	10/100 Ethernet None None	T
ThinkCentre \$50 81832AF French →Customize	CALL \$1,529.00*	Small Form Factor (2x3) 2.66 GHzIntel® Pentium® 4 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	10/100 Ethernet None None	M X T a

ThinkCentre \$50 818326U ◆Customize ◆Add to cart	Within 2 weeks** \$1,579.00*	Small Form Factor (2x3) 2.60 GHzIntel® Pentium® 4 with Hyper-Threading technology 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	<b>Gigabit</b> Ethernet None None	T
ThinkCentre S50 818332U ◆Customize ◆Add to cart	CALL <b>\$1,579.00</b> *	Small Form Factor (2x3) 2.80 GHzIntel® Pentium® 4 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	10/100 Ethernet None None	T a
ThinkCentre S50 818326F French →Customize →Add to cart	CALL <b>\$1,579.00</b> *	Small Form Factor (2x3) 2.60 GHzIntel® Pentium® 4 with Hyper-Threading technology 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	<b>Gigabit</b> Ethernet None None	M X T a
ThinkCentre <u>\$50</u> 818332F French ◆Customize ◆Add to cart	CALL \$1,579.00*	Small Form Factor (2x3) 2.80 GHzIntel® Pentium® 4 256 MB	Intel Extreme Graphics 2 40GB CD-ROM	<b>10/100</b> Ethernet None None	M X T a
ThinkCentre S50 818336U →Customize →Add to cart	In stock** \$1,679.00*	Small Form Factor (2x3) 2.80 GHzIntel® Pentium® 4 with Hyper-Threading technology 512 MB	Intel Extreme Graphics 2 40GB CD-ROM	<b>Gigabit</b> Ethernet None None	T a
ThinkCentre  550 818336F French →Customize →Add to cart	CALL \$1,679.00*	Small Form Factor (2x3) 2.80 GHzIntel® Pentium® 4 with Hyper-Threading technology 512 MB	Intel Extreme Graphics 2 40GB CD-ROM	<b>Gigabit</b> Ethernet None None	M X T a
ThinkCentre \$50 818343U ◆Customize ◆Add to cart	In stock** \$2,099.00*	Small Form Factor (2x3) 3.00 GHzIntel® Pentium® 4 with Hyper-Threading technology 512 MB	Intel Extreme Graphics 2 40GB DVD-ROM	<b>Gigabit</b> Ethernet None None	T
ThinkCentre \$50 818343F French +Customize +Add to cart	CALL <b>\$2,099.00</b> *	Small Form Factor (2x3) 3.00 GHzIntel® Pentium® 4 with Hyper-Threading technology 512 MB	Intel Extreme Graphics 2 40GB DVD-ROM	<b>Gigabit</b> Ethernet None None	M X T a

### Still can't find what you're looking for?

Select one of the following

You can choose one of the options above, or call us at 1-888-SHOP-IBM.

IBM PCs use genuine Microsoft® Windows® www.microsoft.com/piracy/howtotell

\*Price does not include tax or expedited shipping and is subject to change without notice. Reseller prices may vary. IBM does not warrant non-IBM products. PCs shown here, except for Servers and Network Stations, ship with an operating system. All offers subject to availability. IBM reserves the right to alter product offerings and specifications at any time without notice. IBM is not responsible for photographic or typographic errors.

\*\* An estimated ship date will be included with your order confirmation e-mail. Availability does not determine when your order will ship since inventory status may change before your order is final (following the receipt of any credit or payment authorization) as other orders are processed. "In stock" indicates we currently have at least one of the item in stock. Orders are normally held until all the products on the order are in inventory. "Within 2 weeks" indicates that the product should be available in inventory within 2 weeks. "Within 2-4 Weeks" indicates that the product should be available in inventory in 2-4 weeks. To obtain the latest information about the availability of a specific part number, please call 1-888-SHOP-IBM.

Important Legal Information

About IBM | Privacy | Legal | Contact



Canada



Select a country English | Français

English | Français

#### **Monitors**

Flat Panel Performance Flat Panel Essential

**CRT Performance** 

**CRT** Essential

Monitor accessories

ThinkPad Notebooks

Desktops

Accessories & Upgrades

Services

Support

ThinkVantage Technologies

News & awards

Library

#### Shopping help

Order status

Shopping cart

Open saved carts

Estimate shipping

G78 17 inch Black Full Flat Shadow Mask CRT Monitor (16.0 inch Viewable) TCO99

IBM Web Price \$299.00\* Availability: CALL



Overview View all models Learn more



This new addition to the G Series Monitors family is the first in the series to incorporate cutting-edge flat shadow mask technology, which is in the process of replacing previous-generation FST CRTs (e.g., the IBM G76 monitor) as the industry standard. Flat shadow mask technology significantly reduces glare and minimizes distortion, especially around the edges and in the corners of the screen.

The G78 has a 17-inch (16.0" viewable image size) flat shadow mask CRT. Its award-winning design and choice of colors - Pearl White, Stealth Black or Two Tone Gray/Black - smartly complement the look of your system and workspace. IBM G Series Monitors offer great quality, excellent image clarity and reliability for general business applications. They are designed to meet your expanding business needs, whether in a corporate setting, a small business or a home office.

### Features and Benefits:

FLAT SHADOW MASK TECHNOLOGY - For truly accurate images throughout the screen and no distortions at the edges. The G78 is the first in the G Series with this new technology that significantly reduces glare and minimizes distortion.

85KHz HORIZONTAL LINE FREQUENCY - The G78 is capable of running 1280x1024 resolution "flicker-free", reducing eye strain.

ERGONOMIC COMPLIANCE - Pearl white models of the G78 comply with demanding TCO-99 emissions guidelines, while Stealth black models comply with TCO-95 guidelines.

VESA DDC - Plug and play for easy and quick setup.

AWARD-WINNING DESIGN - The G78's award-winning IBM design and choice of colors - Pearl white or Stealth black - smartly complement the look of your system and workspace.

#### General

Model name 66274AN

Description G78 17" CRT 16" View BL TCO99

IBM Web Price\* \$299.00

#### Compatibility

Restrictions

-Not all supported display modes run at the high refresh rates necessary for flicker-free performance. Display modes at lower refresh rates are available for compatibility with older video adapters and system

units., -Supported display modes are a

functi

Hardware prerequisites (System unit)

This monitor has been tested with IBM personal computers and is compatible with systems and graphics adapters which comply with the relevant parts of "VESA and industry standards and guidelines for computer display monitor timing" version

Hardware prerequisites (Mounting kit etc.)

Supplied with an attached video signal cable. This cable has a standard 15-pin, Dshell video connector for system unit connection. A 1.8m power cord will be

supplied

Product approvals/certifications

CE MARK, CSA C22.2 No. 950 (Canada), DNHW (Canada), EMI (B) (Korea), EN 55022 Class B (Europe), EN 61000-3-2, FCC Class B, FDA/DHHS (US), GS (Germany), ICES-003 Class B (Canada), NEMKO, NOM (Mexico), PTB (Germany), Swiss Ordinance, UL-1950 First Edition,

#### **Characteristics**

Display case color

Stealth black

Tube type

Nominal Screen size

17 inches (431mm)

Viewable image size

16 inches (406.4mm)

Maximum viewable width Maximum viewable height 325 mm 244 mm

**CRT** 

Pixel pitch/type

0.24mm Yes

Anti-glare Anti-static Touch screen

Yes No

Tilt/swivel stand Screen surface treatment Yes Multi-layer antireflective

Preset modes

640x480 at 60Hz, 640x480 at 85Hz, 720x400 at 70Hz, 800x600 at 75Hz, 800x600 at 85Hz, 1024x768 at 75Hz 1024x768 at 85Hz, 1280x1024 at 75Hz,

1600x1200 at 65Hz

Microprocessor control

Power management features

Energy Star compliant, NUTEK, VESA DPMS compliant, EPA Energy Star compliant

Weight Height Width

17 Kgs 435 mm 422 mm

420 mm 77 W

#### Warranty

Depth

Limited Warranty period

Power consumption

Type of Service

Express Warranty Service (EXS)

#### Monitor

Included monitor pixel pitch/type

0.24mm



#### Still can't find what you're looking for?

Select one of the following

You can choose one of the options above, or call us at 1-888-SHOP-IBM.

\*Price does not include tax or expedited shipping and is subject to change without notice. Reseller prices may vary. IBM does not warrant non-IBM products. PCs shown here, except for Servers and Network Stations, ship with an operating system. All offers subject to availability. IBM reserves the right to alter product offerings and specifications at any time without notice. IBM is not responsible for photographic or typographic errors.

Important Legal Information

About IBM | Privacy | Legal | Contact



Canada



Home | Products & services | Support & downloads | My account | Call 1-888-SHOI

Select a country

English | Français

# ThinkCentre S50

Desktops

ThinkCentre A Series

ThinkCentre M Series

ThinkCentre S Series

Netvista A Series

Netvista S Series

Netvista M Series

NetVista Thin clients

Accessories & Upgrades

Services

Support

ThinkVantage Technologies

Why buy NetVista

Client computing

solutions

Presentations

News and Awards

Library

Home Office

Options by IBM

Find a Dealer

Shopping help

Order status


Shopping cart

Open saved carts

Estimate shipping

\$1,579.00\* Availability: CALL

IBM Web Price







Monitor sold separately

Overview View all models Why S Series Visual tour

General

Model name 818332U

Description TC S50 2.8G 256MB 40GB XPP

IBM Web Price\* \$1,579.00

Mechanical / architecture

Form factor Small Form Factor (2x3)

Bus type / architecture PCI

Slots x bays total (available)  $2(2) \times 3(0)$ 

**Processor** 

Processor type Intel® Pentium® 4

Processor speed<sup>[1]</sup> 2.80 GHz
Front side bus 533 MHz
L2 internal CPU cache 512KB

Memory

Memory std/max<sup>[10]</sup> 256 MB / 2 GB

Memory speed 333MHz

Memory type PC2700 DDR SDRAM

Memory slots total 2 DIMMs

Memory slots available 1 DIMM

Hard disk

Hard disk size<sup>[5]</sup> 40 GB

Hard disk type ATA-100 (Enhanced IDE)

**Graphics Subsystem** 

Graphics type 2D/3D

Graphics chipset Intel Extreme Graphics 2

Video RAM type DVMT

Max resolution 2048x1536 256 colors

Max color16777216Graphics bus interfaceDirect AGP

Optical device

Optical device / speed<sup>[6]</sup> CD-ROM 48X Max

Floppy diskette size

3.5" 1.44 MB

Communications

<u>Networking</u> Network speed Ethernet-Integrated 10Mbps, 100Mbps

**Audio** 

Audio Speakers SoundMAX Cadenza 1 (Internal Mono Speaker)

Software [23]

Operating system

Microsoft Windows XP Professional

**Keyboard and mouse** 

Mouse Keyboard type IBM USB Optical Wheel Mouse
IBM Preferred Pro Full size PS/2

Security

Security features

Diskette I/O control, Hardfile I/O control, Parallel I/O control, Power on password, Security slot (for attachment of optional cable lock), Serial port I/O control, Diskette boot inhibit, Boot sequence control, Boot without keyboard or mouse, Configurati

Universal manageability

Manageability features

Access IBM, ImageUltra enabled, IBM Director Agents, IBM Rapid Restore Ultra software, Remote Deployment Manager, Software Delivery Assistant, System

Migration Assistant

Warranty<sup>[9]</sup>

Limited warranty period<sup>7</sup>

Three year parts and labor

Type of service<sup>[25]</sup>

Onsite Repair

**Dimensions** 

 Weight
 8.3 Kgs

 Height
 85 mm

 Width
 309 mm

 Depth
 359 mm

**Expansion options** 

Slots x bays total (free) 2(2)  $\times$  3(0) Slots total (free) and type 2(2) PCI 3.5 inch bays - accessible (free) and height 1(0) SL

3.5 inch bays - not accessible (free) and

height

1(0) HH

5.25 inch bays - accessible (free) and

height

1(0) HH

Plug and play support

Yes

Serial port(s)
Parallel port(s)

2 (9-pin 16550)

raialiei port(3)

1 (IEEE 1284)

Additional expansion ports

External microphone, External microphone (front), External Display, Headphone/line out (front), Keyboard, Line in, 2 USB 2.0 (front), Mouse, RJ-45, 6 USB 2.0 (back)

Power management

Power supply

200 Watts

Power supply type

115 or 230 volt universal manual switch

Power management features

ACPI compliant, Standby Mode

Other

Recommendation

IBM PCs use genuine Microsoft®

**Windows®** 

www.microsoft.com/piracy/howtotell



#### Still can't find what you're looking for?



You can choose one of the options above, or call us at  ${f 1-888-SHOP-IBM}$ .

\*Price does not include tax or expedited shipping and is subject to change without notice. Reseller prices may vary. IBM does not warrant non-IBM products. PCs shown here, except for Servers and Network Stations, ship with an operating system. All offers subject to availability. IBM reserves the right to alter product offerings and specifications at any time without notice. IBM is not responsible for photographic or typographic errors.

Important Legal Information

About IBM | Privacy | Legal | Contact