1 Q. Hydro cites "continuing pressure from external agencies for data monitoring 2 and reporting" as a requirement for additional resources. Provide a list of the 3 external agencies, the associated data monitoring and reporting 4 requirements and the costs attributable to each agency. (Regulated 5 Activities Evidence, page 12, lines 9 to 12).

6 7

8

9

A. The list of external agencies, the associated data monitoring and reporting requirements and the costs attributable to each agency are listed in the following table.

1011

Agency	Reports	Costs
Environment Canada - National Pollutant Release Inventory (NPRI)	Annual Report	Superintendent for 2 weeks
Department of Environment and Conservation (DOEC) – Ambient Air/Environmental Monitoring	 Monthly Opacity - 6 minute average readings Monthly Report for 6 Ambient Air Monitoring Sites Monthly Summaries for 6 Ambient Air Monitoring Sites Weekly Calibration Checks for 6 Ambient Air Monitoring Sites Continuous Emissions Monitoring System (CEMS) Weekly Check sheets CEMS Monthly Uptime Report CEMS Monthly Data Matrix Report CEMS Compliance Plan – Certificate of Approval (C of A) Requirement Monthly Hi-Vol Report for 5 Ambient Monitoring Stations Monthly Hi-Vol Calibration Reports for 5 	 4 Full Time Equivalents (FTEs) Supervisor for 1/3 year Superintendent for 7 weeks Supervisor for 1 Week (Instrumentation)

NP 6 NLH NLH 2006 General Rate Application Page 2 of 4

	1	Page 2 01 4
Agency	Reports	Costs
	 Ambient Monitoring Stations Controlled Waste Landfill (CWL) - Drainage and Level Monitoring CWL Manhole Leak Detection Monthly Monitoring CWL Manhole Drainage Waste Management Plan – C of A Requirement Noise Management Plan – C of A Requirement Monthly Met Station Reports Bi-Annual Stack Testing CEMS Relative Accuracy (RATA) Testing (Twice Annually) Report Quarterly Audits (Follow-Up of DOEC Audit Reports) Public Complaints/Incident Reports Calibration Records 	
Department of Environment and Conservation (DOEC) – Performance/Efficiency	 Production Report (Monthly) Oil & Sulphur Report (Monthly) Fuel Inventory Monitoring Fuel Reconciliation (Monthly and Semi-Annual) Fuel Shipment Reports Unit Status & Capability (CEA) Plant Availability (CEA) Plant Conversion Factor 	Supervisor 1/3 of Year with Operations Support
Department of Environment and Conservation (DOEC) – Lab	 Regeneration Wastes Oil Water Separators Monthly Water Usage Annual Water Usage Waste Water Treatment Plant Discharge Oil and Grease CW Outfall Monitoring 	 3 FTEs for 1/3 of Year Supervisor 1/3 of Year

NP 6 NLH NLH 2006 General Rate Application Page 3 of 4

	Page 3 of 4	
Agency	Reports	Costs
	Controlled Substance Spill Reporting Annual Landfill Report	
Canadian Association of Environmental Analytical Laboratories (CAEAL)	Semi-Annual Audit	3 FTEs and Supervisor for 2 weeks
Department of Government Services – Boiler/Safety	 Tube Leaks Pressure Vessel Certificates Power Engineering Certificates Safety Valves Service Pressure Tests Boiler Inspections Annual Inspections for Heat Exchangers, Other Pressure Vessels Calibration Records 	Superintendent for 4 weeks with Support from Training Coordinator Supervisor for One Week (Instrumentation)
Occupational Health & Safety	OHS Committee & Reporting	7 Person Weeks
Marine Security (MARSEC)	Annual & Quarterly Exercise	6 Person Weeks
FM Global – Insurance	2 Visits per Year with Report Follow-Up	2-3 Weeks for 3 Superintendents
Transport Canada	Annual Updates/Spill Response Exercise	Superintendent for 2 weeks
Department of Environment and Conversation (DOEC)	 Annual Air Emissions Report Environmental Emergency Reporting Annual Used Oil Report Pesticide Application Program reports Fuel System Inventory Control reports 	4 person-weeks for Environmental Services staff
Environment Canada/DOEC	PCB Inventory	3 person-days
Department of Fisheries and Oceans	Granite Canal Fish Habitat Compensation Facility Monitoring Report	5 person-weeks for Environmental Services staff
Department of Government Services	Pressure vessel inspections and certificates	1 week for plant engineer
·		·

Page 4 of 4

1 490 1 01 1		
Agency	Reports	Costs
Department of Environment and Conservation	 Fuel reconciliation and inspection of diesel, gas & jet fuel tanks Controlled substance spill reporting Waste oil monitoring Annual leak testing of air conditioners 	9 person-weeks
Occupational Health & Safety	OHS Committee & reporting, domestic water tests	6 person-weeks
Dam Safety	Annual Dyke Board Inspection	Manager – 1 week plus \$30,000 for Engineering, Consultants, Helicopters, Lodging, etc.

- 1
- 2 In addition to the above, the following regulatory reporting is provided. Note that no
- 3 estimate is readily available regarding the time or effort devoted to these activities.

Board of Commissioners of Public Utilities	 Quarterly Reporting Outage Reporting Debenture Issues Capital Budget Applications Annual Review Follow-up Reporting such as Depreciation Study, Marginal Cost Study, Hydrology, etc General Rate Applications
Bond Rating Agencies	Presentations/Reporting
Statistics Canada	Surveys/Reporting
Other Utilities/CEA	Surveys/Benchmarking
Government Purchasing Agency	Monthly Report/Annual Review