Q. Please identify what Hydro considers to be the complete project description and justification filed with the Board for the Come By Chance T1 and T2 Upgrades, and please identify by what process Hydro considers these capital expenditures to have been approved by the Board, including the applicable reference thereto in an order of the Board. Please include with your response copies of all filings referred to in the response.

7 8

9 10 A. The complete project description and justification for the 2015 Upgrade Power Transformers project was submitted to the Board for approval as part of Hydro's 2015 Capital Budget Application. Please refer to Hydro's response to IC-NLH-171, Attachment 1, for a copy of the report submitted as part of Hydro's 2015 Capital Budget Application.

14

15

11

12

13

As stated in IC-NLH-171, Attachment 1:

16 There are also critical protective devices and wiring that are reaching end 17 of life and beginning to show signs of failure in recent years. As shown in Table 6 of Section 3.1.5, the annual cost for this work has ranged from 18 \$11,000 to \$42,300 and it is not expected to decline. As a result, \$60,000 19 20 has been budgeted in 2015, \$31,000 for 2016, and \$24,000 in each 21 subsequent year to address these issues. The protective devices being 22 replaced in 2015 will be determined based on condition assessment performed in 2015.1 23

-

<sup>&</sup>lt;sup>1</sup> IC-NLH-171, Attachment 1, page 12 of 64 and page 13 of 64.

## Page 2 of 2

1	Hydro subsequently received approval for the above project in Board Order No.
2	P.U. 50(2014), please refer to Hydro's response to IC-NLH-171, Attachment 2, in
3	which the Board stated:
4	Hydro's proposed multi-year construction and purchase of improvements
5	or additions to its property in excess of \$50,000 to begin in 2015, as set
6	out in Schedule B to this Order, are approved.
7	
8	Please refer to Hydro's response to IC-NLH-172 for Hydro's commitment to improve
9	communications in current and future capital projects that are to be, or are
10	intended to be, specifically assigned to customers.