## Office of the Consumer Advocate

PO Box 23135 Terrace on the Square St. John's, NL Canada A1B 4J9 Tel: 709-724-3800 Fax: 709-754-3800

September 6, 2017

Board of Commissions of Public Utilities 120 Torbay Road, P.O. Box 2140 St. John's, NL A1A 5B2

Attention:

G. Cheryl Blundon, Director of

Corporate Services / Board Secretary

Dear Ms. Blundon:

## RE: Newfoundland and Labrador Hydro - 2018 Capital Budget Application

Further to the above-captioned, enclosed please find enclosed the original and twelve (12) copies of the Consumer Advocate's Requests for Information CA-NLH-001 to CA-NLH-004.

A copy of this letter, together with enclosure, has been forwarded directly to the parties listed below.

If you have any questions regarding the enclosed, please contact the undersigned at your convenience.

Yours truly,

Dennis Browne, Q.C.

Encl./bb

cc

Newfoundland & Labrador Hydro
Tracey Pennell (traceypennell@nlh.nl.ca)
Geoff Young (gyoung@nlh.nl.ca)
NLH Regulatory (NLHRegulatory@nlh.nl.ca)

Board of Commissioners of Public Utilities
Cheryl Blundon (cblundon@pub.nl.ca)
Jacqui Glynn (jblynn@pub.nl.ca)
PUB Official Email (ito@pub.nl.ca)

<u>Vale Newfoundland and Labrador Limited</u>
Thomas O'Reilly, Q.C. – (toreilly@coxandpalmer.com)
Dennis Fleming (dfleming@coxandpalmer.com)

Teck Resources Limited
Larry Bartlett (larry.bartlett@teck.com)

Newfoundland Power Inc.

NP Regulatory (<u>regulatory@newfoundlandpower.com</u>) Gerard Hayes (<u>ghayes@newfoundlandpower.com</u>)

**Industrial Customer Group** 

Paul Coxworthy (pcoxworthy@stewartmckelvey.com)
Dean Porter (dporter@poolealthouse.ca)

Praxair Canada Inc.

Sheryl Nisenbaum (sheryl nisenbaum@praxair.com)

## IN THE MATTER OF

the Electrical Power Control Act, 1994, SNL 1994, Chapter E-5.1 (the "EPCA") and the Public Utilities Act, RSNL 1990, Chapter P-47 (the "Act"), as amended, and regulations thereunder; and

## IN THE MATTER OF

an Application by Newfoundland and Labrador Hydro for an Order approving:

- 1) its 2018 capital budget pursuant to s. 41(1) of the Act;
- 2) its 2018 capital purchases and construction projects in excess of \$50,000 pursuant to s. 41(3)(a) of the *Act*;
- 3) its leases in excess of \$5,000 pursuant to s. 41(3)(b) of the *Act*:
- 4) its estimated contributions in aid of construction for 2018 pursuant to s. 41(5) of the *Act*.

CONSUMER ADVOCATE REQUESTS FOR INFORMATION

CA-NLH-001 to CA-NLH-004

Issued: September 6, 2017

1	CA-NLH-001	In the supplemental projects in reference to the Labrador West transmission
2		project for the construction of the third transmission line in Labrador, the
3		Applicant states that all project costs incurred to date are covered by the
4		security Alderon has already provided and that construction will proceed
5		through additional funding to be secured.
6		
7		(a) Is there a time limit on the 2014 approval re this Labrador West
8		transmission line?
9		
10		(b) What is the form of security Alderon has provided and what is the value
11		of that security. How is that security held and with whom? Has Alderon
12		requested a return of that security?
13		
14		(c) What is the amount that Alderon will pay based on a \$329,592,000 cost?
15		
16		(d) How will cost overruns be handled?
17		
18		(e) How many megawatts will Alderon require?
19		
20		(f) Where will the power to supply Alderon come from?
21		
22		(g) Will Alderon pay completely for this transmission line?
23		(1) II
24		(h) How will the net costs be recovered from ratepayers in future rate
25		setting?
26		(i) What percentage of the cost will be attributed to Alderon?
27		(1) What percentage of the cost will be attributed to Alderon:
28 29		(j) What costs will be attributed to Labrador ratepayers?
30		() What costs will be attributed to Eubrador ratepayers.
31		(k) What costs will be attributed to ratepayers on the island?
32		(29)
33	CA-NLH-002	Re: NLH CB 2018-D-15 - Operating the Overhead Crane from the Cab of
34	01111211002	the Crane Exposes the Operator to Unsafe Temperatures.
35		and a supplied the opening to a substantial and a supplied to the supplied tof the supplied to the supplied to the supplied to the supplied to
36		(a) How long has the Holyrood overhead crane operated and been
37		exposed to unsafe temperatures? Please provide details.
01		emposed to dissuit temperatures. I read provide details.

1 2 3	CA-NLH-003	Re: N \$665	NLH Capital Budget 2018 – Tab 31, p. 1 – Upgrade to Hydro Place - ,000	
4		(a)	Who owns the Hydro Place building?	
5				
6		(b)	What corporate entities occupy the Hydro Place building?	
7				
8		(c)	What portion of the Hydro Place building is occupied by NL Hydro?	
9			What portion of the Hydro Place building is occupied by Nalcor?	
10			What portion of the Hydro Place building is occupied by other	
11 12			corporate entities?	
13		(d)	Please provide particulars as to why NL Hydro is seeking funds from	
14		(u)	ratepayers for a building that is also occupied by Nalcor?	
15			ratepayers for a canamy man is also occupied by francoir.	
16		(e)	Are there leases in place pertaining to space occupied by various	
17		( )	entities in Hydro Place?	
18			•	
19		(f)	How is the space allocated?	
20				
21		(g)	What payment schemes are in place for the various occupant	
22			entitles?	
23	CA NILILOOA	D 1	Andreat Falls/Hammy Valley Interconnection	
24 25	CA- NLH-004	Re: I	Muskrat Falls/Happy Valley Interconnection.	
2 <i>5</i> 26		Ordo	or in Council OC 2013 343 directs that costs associated with the	
20 27		Order in Council OC-2013-343 directs that costs associated with the		
28		Muskrat Falls project be recovered from Island Interconnected Rates <u>but</u> prohibits the recovery of these costs until the project is commissioned or		
28 29		_	commissioned and Hydro is receiving services. (Emphasis added.)	
30		near	commissioned and rivaro is receiving services. (Emphasis added.)	
31		(a) I	How does the project budget estimates and proposed costs comply with	
32			his Order-in-Council?	

**<u>DATED</u>** at St. John's, Newfoundland and Labrador, this 6<sup>th</sup> day of September, 2017.

Per:

Dennis Browne, Q.C. Consumer Advocate

Terrace on the Square, Level 2, P.O. Box 23135 St. John's, Newfoundland & Labrador A1B 4J9

Telephone: (709) 724-3800 Telecopier: (709) 754-3800