Q. In reply to PUB-NLH-029, Hydro states that it participates in annual compensation 1 2 planning surveys (p. 1 of 2, line 8). Please state which annual compensation 3 planning surveys that Hydro participates in and please provide a copy of Hydro's completed survey(s) over each of the years 2007 to and including 2013. 4 5 6 7 A. As referenced in PUB-NLH-029, Hydro participates in the following surveys to assist 8 in annual compensation planning: 9 Hay Group Compensation Planning Update; 10 Conference Board of Canada Compensation Planning Outlook; 11 Mercer Compensation Planning; 12 Mercer Total Compensation Survey for the Energy Sector; and 13 Towers Watson General Industry Salaries and Budgets Survey. 14 15 The surveys are submitted through the provider's online survey tool. Hydro does 16 not retain copies of submissions beyond its most recent submission. As a survey 17 participant, Hydro is subject to confidentiality and disclosure agreements. Authorization to release any portion or part of the survey has been denied by all 18 providers listed above with the exception of Hay Group who has authorized release 19 20 of Hydro's submission which is provided in CA-NLH-268, Attachment 1.

¹ These providers referenced proprietary rights and confidentiality agreements that are within survey submissions and a condition of participation.

Hay Group - Compensation Planning Update 2014											
Org name			Plan to increase Salary Range	adjustments(%)	Adjustments in Actual Salary - Approved?	Anticipated adjustments(%) in Salary Ranges				Were there adjustments to Salary Ranges in the past 12 months?	
i	Clerical / Operations (union)	Ves increase	Ves increase	3.00	No	3.00	No	Yes	4.00	Υ ρς	4.00
	Clerical / Operations (non-	Yes, increase		7.00		3.00		Yes	5.70		4.00
Nalcor Energy	Supervisory / Junior Professional	Yes, increase	Yes, increase	7.00	No	3.00	No	Yes	5.70	Yes	4.00
	Middle Management / Seasoned Professional	Yes, increase	Yes, increase	7.00	No	3.00	No	Yes	5.70	Yes	4.00
	Senior Management /	Yes, increase	Yes, increase	3.00	No	3.00	No	Yes	4.00	Yes	4.00