

1 Q. **Re: IN-NLH-239**

2 Please confirm that the MWh savings indicated in the table are not cumulative, but
3 rather represent year-by-year incremental savings. If the figures provided are
4 incremental, please provide a table indicating cumulative MWh savings, indicating
5 and taking into account the assumed persistence of these savings for the period
6 2010-2019.

7

8

9 A. It is confirmed that the savings indicated in Table 2.2, titled “Hydro’s Annual Energy
10 Savings (MWh)” are not cumulative, but are annual incremental energy savings.
11 Please refer to the table below for the cumulative MWh energy savings for the
12 period 2010 to 2019.

Table – Hydro’s CDM Energy Savings – Cumulative (MWh)

Hydro’s CDM Energy Savings – Cumulative (MWh)										
Program	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Windows	50	112	247	347	431	431	431	431	431	431
Insulation	162	565	948	1,742	1,884	1,884	1,884	1,884	1,884	1,884
Thermostats	44	74	126	150	188	188	188	188	188	188
Coupon Program	64	320	320	320	320	320	320	320	320	320
Commercial Lighting	12	239	334	434	512	512	512	509	497	258
Industrial	-	165	3,337	3,337	25,595	25,430	22,093	18,756	18,756	18,756
Block Heater Timer	-	-	-	288	288	288	288	288	288	288
Isolated Systems Community	-	-	1,676	2,772	4,129	2,453	2,453	2,453	-	-
ISBEP	-	-	3	30	141	141	141	141	138	108
Heat Recovery Ventilator	-	-	-	-	6	6	6	6	6	6
Business Efficiency Program	-	-	-	-	107	107	107	107	107	107
Small Technologies	-	-	-	-	148	148	148	148	148	148
Total	332	1,475	6,992	9,419	33,751	31,910	28,573	25,233	22,764	22,495