


**Newfoundland Labrador Hydro (NLH)
Supply and Demand Status Report Filed Thursday, February 15, 2018**

**Section 1
Island Interconnected System Supply, Demand & Exports
Actual 24 Hour System Performance For Wednesday, February 14, 2018**



Supply Notes For February 14, 2018

1,2

- A As of 2115 hours, January 04, 2018, Stephenville Gas Turbine available at 25 MW (50 MW).
- B As of 1204 hours, February 03, 2018, Holyrood Unit 1 unavailable 70 MW (170 MW).
- C At 0749 hours, February 14, 2018, Holyrood Unit 2 available at 124 MW (170 MW).
- D At 0749 hours, February 14, 2018, Holyrood Unit 3 available at 110 MW (150 MW).

**Section 2
Island Interconnected Supply and Demand**

Thu, Feb 15, 2018	Island System Outlook ³	Seven-Day Forecast	Temperature (°C)		Island System Daily Peak Demand (MW)	
			Morning	Evening	Forecast	Adjusted ⁷
Available Island System Supply: ⁵	1,720 MW	Thursday, February 15, 2018	-1	-1	1,380	1,263
NLH Generation: ⁴	1,410 MW	Friday, February 16, 2018	-1	2	1,365	1,214
NLH Power Purchases: ⁶	95 MW	Saturday, February 17, 2018	-1	-8	1,605	1,495
Maritime Link Imports:	- MW	Sunday, February 18, 2018	-10	-8	1,495	1,387
Other Island Generation:	215 MW	Monday, February 19, 2018	-5	-6	1,500	1,391
Current St. John's Temperature & Windchill:	-1 °C -6 °C	Tuesday, February 20, 2018	-7	-3	1,520	1,317
7-Day Island Peak Demand Forecast:	1,690 MW	Wednesday, February 21, 2018	-1	-13	1,690	1,579

Supply Notes For February 15, 2018

3

- Notes:
1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
 2. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
 3. As of 0800 Hours.
 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
 5. Gross output from all Island sources (including Note 4).
 6. NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable).
 7. Adjusted for CBP&P, Vale and Praxair interruptible load, Maritime Link Exports and the impact of voltage reduction (when applicable).

**Section 3
Island Peak Demand Information
Previous Day Actual Peak and Current Day Forecast Peak**

Wed, Feb 14, 2018	Actual Island Peak Demand ⁸	07:20	1,559 MW
Thu, Feb 15, 2018	Forecast Island Peak Demand		1,380 MW

- Notes: 8. Island Demand / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).