

Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Monday, April 23, 2018





Supply Notes For April 20, 2018

1,2

- As of 2115 hours, January 04, 2018, Stephenville Gas Turbine available at 25 MW (50 MW).
- As of 0801 hours, April 02, 2018, Holyrood Unit 3 unavailable due to planned outage 110 MW (150 MW).
 - As of 1300 hours, April 05, 2018, Hawkes Bay Diesel Plant unavailable (5 MW).
- As of 0836 hours, April 12, 2018, Holyrood Unit 1 available at 126 MW (170 MW).
- As of 1050 hours, April 17, 2018, Bay d'Espoir Unit 6 unavailable due to planned outage (76.5 MW).

 $0^{\circ}C$

F As of 1923 hours, April 19, 2018, Holyrood Unit 2 available at 80 MW (170 MW).

Section 2 Island Interconnected Supply and Demand Temperature Island System Daily Island System Outlook³ Sat, Apr 21, 2018 (°C) Peak Demand (MW) Seven-Day Forecast Adjusted⁷ Morning **Evening** Forecast Available Island System Supply:⁵ 1,230 1,665 MWSaturday, April 21, 2018 1 1,150 NLH Generation:4 1,205 1,125 1,300 MWSunday, April 22, 2018 1 3 Monday, April 23, 2018 1,225 1,145 NLH Power Purchases:6 2 155 MW 0 Maritime Link Imports: Tuesday, April 24, 2018 1 1,195 1,115 MW 5 Wednesday, April 25, 2018 995 Other Island Generation: 210 MW5 8 1,075

°C

MW

N/A

1,230

Supply Notes For April 21, 2018

7-Day Island Peak Demand Forecast:

Notes:

1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.

Thursday, April 26, 2018

Friday, April 27, 2018

1,015

1,055

7

5

5

935

975

- 2. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
- 3. As of 0800 Hours.

Current St. John's Temperature & Windchill:

- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- Gross output from all Island sources (including Note 4).
- 6. NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable).
- 7. Adjusted for CBP&P and Maritime Link Exports.

	Section 3		
Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak			
Sat, Apr 21, 2018	Forecast Island Peak Demand		1,230 MW

Notes: 8. Island Demand / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).