

# Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Monday, November 25, 2019





### Supply Notes For November 24, 2019

- 1,2
- As of 0800 hours, November 10, 2019, Holyrood Gas Turbine unavailable due to planned outage (123.5 MW).
- B As of 1124 hours, November 17, 2019, Bay d'Espoir Unit 4 unavailable (76.5 MW).
- As of 1426 hours, November 19, 2019, Stephenville Gas Turbine unavailable due to planned outage 25 MW (50 MW).
- As of 0932 hours, November 23, 2019, St. Anthony Diesel Plant available at 8.85 MW (9.7 MW).
  - As of 1957 hours, November 23, 2019, Bay d'Espoir Unit 3 unavailable due to planned outage 70 MW (76.5 MW).

#### Section 2

**Island Interconnected Supply and Demand** 

Mon, Nov 25, 2019 Island System Outle		3	Seven-Day Forecast	Temperature (°C)		Island System Daily Peak Demand (MW)	
				Morning	Evening	Forecast	<b>Adjusted</b> <sup>7</sup>
Available Island System Supply: <sup>5</sup>	1,787	MW	Monday, November 25, 2019	1	5	1,245	1,151
NLH Island Generation: <sup>4</sup>	1,365	MW	Tuesday, November 26, 2019	4	2	1,290	1,195
NLH Island Power Purchases: <sup>6</sup>	120	MW	Wednesday, November 27, 2019	3	2	1,275	1,180
Other Island Generation:	200	MW	Thursday, November 28, 2019	2	2	1,235	1,141
ML/LIL Imports:	102	MW	Friday, November 29, 2019	0	2	1,340	1,245
Current St. John's Temperature & Windchill:	1 °C N/A	°C	Saturday, November 30, 2019	2	1	1,320	1,225
7-Day Island Peak Demand Forecast:	1,340	MW	Sunday, December 01, 2019	4	0	1,295	1,200

## Supply Notes For November 25, 2019

Notes

- 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a requirement for some customer's load to be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding (UFLS), is necessary to ensure the integrity and reliability of system equipment. Under frequency events have typically occurred 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes. With the activation of the Maritime Link frequency controller during the winter of 2018, UFLS events have occurred less frequently.
- 3. As of 0800 Hours.
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
- 7. Adjusted for curtailable load, market activities and the impact of voltage reduction when applicable.

# Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak

Sun, Nov 24, 2019	Actual Island Peak Demand <sup>8</sup>	17:10	1,206 MW
Mon, Nov 25, 2019	Forecast Island Peak Demand		1,245 MW

Notes: 8. Island Demand / LIL / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).