
## **Newfoundland Labrador Hydro (NLH)** Supply and Demand Status Report Filed Thursday, December 03, 2020

## Section 1 Island Interconnected System Supply, Demand & Exports Actual 24 Hour System Performance For Wednesday, December 02, 2020



Supply Notes For December 02, 2020

At 1050 hours, December 02, 2020, Upper Salmon unavailable due to planned outage (84 MW).

At 1542 hours, December 02, 2020, Upper Salmon available (84 MW).

## **Section 2**

**Island Interconnected Supply and Demand** 

Thu, Dec 03, 2020	Island System Outlook <sup>3</sup>		Seven-Day Forecast	•	(°C)		Island System Daily Peak Demand (MW)	
				Morning	Evening	Forecast	<b>Adjusted</b> <sup>7</sup>	
Available Island System Supply: <sup>5</sup>	2,025	MW	Thursday, December 03, 2020	11	9	1,040	940	
NLH Island Generation: <sup>4</sup>	1,695	MW	Friday, December 04, 2020	5	3	1,135	1,034	
NLH Island Power Purchases: <sup>6</sup>	100	MW	Saturday, December 05, 2020	5	8	1,120	1,019	
Other Island Generation:	230	MW	Sunday, December 06, 2020	3	7	1,190	1,088	
ML/LIL Imports:	-	MW	Monday, December 07, 2020	6	3	1,220	1,118	
Current St. John's Temperature & Windchill:	12 °C N/A	°C	Tuesday, December 08, 2020	2	1	1,270	1,167	
7-Day Island Peak Demand Forecast:	1,290	MW	Wednesday, December 09, 2020	-1	0	1,290	1,187	

Supply Notes For December 03, 2020

Notes:

- Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a requirement for some customer's load to be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding (UFLS), is necessary to ensure the integrity and reliability of system equipment. Under frequency events have typically occurred 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes. With the activation of the Maritime Link frequency controller during the winter of 2018, UFLS events have occurred less frequently.
- 3. As of 0800 Hours.
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
- 7. Adjusted for curtailable load, market activities and the impact of voltage reduction when applicable ovember

## **Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak** Wed, Dec 02, 2020 Actual Island Peak Demand<sup>8</sup> 16:55 1,008 MW Thu, Dec 03, 2020 Forecast Island Peak Demand 1,040 MW

Notes: 8. Island Demand / LIL / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).