

Newfoundland Labrador Hydro (NLH)

Curren	nt St.	John's Temperature & Windchill:	18 °C	N/A	°C	Thursday, September 16, 2021	12	15	760	76		
7-Day	Island	d Peak Demand Forecast:		825	MW	Friday, September 17, 2021	12	11	750	75		
l vlagu	Note	s For September 11, 2021 ³										
		214 hours, September 11, 2021, Holy	rood Unit 3 av	ailable (150 M)	W).							
				•								
otes:	1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operations are supply and corrective maintenance are included.											
		system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available.										
		However, from time to time equipment outages are necessary and reserves may be impacted.										
	 Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a require 											
	2		-	•	•	•	gonorating unit	s thoro may bo	a roquiromont f	or		
	2.	Due to the Island system having no synch	ronous connecti	ons to the larger	North Am	erican grid, when there is a sudden loss of large						
	2.	Due to the Island system having no synch some customer's load to be interrupted f	ronous connect or short periods	ons to the larger to bring generat	North Ame	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti	on of power sys	tem protectior	n, referred to as i	under		
	2.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess	ronous connect or short periods sary to ensure th	ons to the larger to bring generat e integrity and r	North Ame ion output eliability of	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti system equipment. Under frequency events hav	on of power sys ve typically occu	tem protectior Irred 5 to 8 tim	n, referred to as un nes per year on th	under he		
	2.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess	ronous connect or short periods sary to ensure th	ons to the larger to bring generat e integrity and r	North Ame ion output eliability of	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti	on of power sys ve typically occu	tem protectior Irred 5 to 8 tim	n, referred to as un nes per year on th	under he		
	2.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess	ronous connection for short periods sary to ensure the sultant customer	ons to the larger to bring generat e integrity and r load interruptio	North Ame ion output eliability of	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti system equipment. Under frequency events hav	on of power sys ve typically occu	tem protectior Irred 5 to 8 tim	n, referred to as un nes per year on th	under he		
	2.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess Island Interconnected System and the res	ronous connection for short periods sary to ensure the sultant customer	ons to the larger to bring generat e integrity and r load interruptio	North Ame ion output eliability of	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti system equipment. Under frequency events hav	on of power sys ve typically occu	tem protectior Irred 5 to 8 tim	n, referred to as un nes per year on th	under he		
		Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess Island Interconnected System and the res winter of 2018, UFLS events have occurre As of 0800 Hours.	ronous connect for short periods sary to ensure th sultant customen ed less frequentl	ons to the larger to bring generat e integrity and re load interruptio y.	North Ame ion output eliability of ns are gene	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti system equipment. Under frequency events hav	on of power sys ve typically occu	tem protectior Irred 5 to 8 tim	n, referred to as un nes per year on th	under he		
	3.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess Island Interconnected System and the res winter of 2018, UFLS events have occurre As of 0800 Hours.	ronous connection for short periods sary to ensure the sultant customent ed less frequent Holyrood (24.5 N	ons to the larger to bring generat e integrity and re load interruptio y.	North Ame ion output eliability of ns are gene	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti- system equipment. Under frequency events hav erally less than 30 minutes. With the activation	on of power sys ve typically occu	tem protectior Irred 5 to 8 tim	n, referred to as un nes per year on th	under he		
	3. 4.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess Island Interconnected System and the res winter of 2018, UFLS events have occurre As of 0800 Hours. Gross output including station service at Gross output from all Island sources (inclu	ronous connection for short periods sary to ensure the sultant customent ed less frequent Holyrood (24.5 N uding Note 4).	ons to the larger to bring generat e integrity and ru load interruptio y. /W) and improve	North Ame ion output eliability of ns are gene ed NLH hyd	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti- system equipment. Under frequency events hav erally less than 30 minutes. With the activation	on of power sys ve typically occu of the Maritime	tem protectior irred 5 to 8 tim Link frequence	n, referred to as un nes per year on th	under he		
	3. 4. 5. 6.	Due to the Island system having no synch some customer's load to be interrupted f frequency load shedding (UFLS), is necess Island Interconnected System and the res winter of 2018, UFLS events have occurre As of 0800 Hours. Gross output including station service at Gross output from all Island sources (inclu	ronous connection for short periods sary to ensure the sultant customer ed less frequentl Holyrood (24.5 M uding Note 4).	ons to the larger to bring generat e integrity and ru load interruptio y. /IW) and improve r Exploits, Rattle	North Ame ion output eliability of ns are gene ed NLH hyd Brook, Sta	erican grid, when there is a sudden loss of large equal to customer demand. This automatic acti- system equipment. Under frequency events hav erally less than 30 minutes. With the activation raulic output due to water levels (35 MW).	on of power sys ve typically occu of the Maritime	tem protectior irred 5 to 8 tim Link frequence	n, referred to as un nes per year on th	under he		

	Island Peak Demand Information	on							
	Previous Day Actual Peak and Current Day Forecast Peak								
Fri, Sep 10, 2021	Actual Island Peak Demand ⁸	17:25	800 MW						
Sat, Sep 11, 2021	Forecast Island Peak Demand		815 MW						