


**Newfoundland Labrador Hydro (NLH)
Supply and Demand Status Report Filed Monday, September 25, 2023**

**Section 1
Island Interconnected System Supply, Demand & Exports
Actual 24 Hour System Performance For Friday, September 22, 2023**



Supply Notes For September 22, 2023

- A As of 0701 hours, March 06, 2023, Upper Salmon Unit unavailable (84 MW).
- B As of 0800 hours, May 21, 2023, Holyrood Unit 2 unavailable due to planned outage (170 MW).
- C As of 0800 hours, July 09, 2023, Holyrood Unit 1 unavailable due to planned outage (170 MW).
- D As of 2059 hours, July 13, 2023, Stephenville Gas Turbine unavailable (50 MW).
- E As of 2238 hours, July 25, 2023, Bay d'Espoir Unit 6 unavailable (76.5 MW).
- F As of 0933 hours, August 15, 2023, Holyrood Unit 3 unavailable due to planned outage (150 MW).
- G As of 1403 hours, September 20, 2023, St. Anthony Diesel Plant available at 7.7 MW (9.7 MW).

**Section 2
Island Interconnected Supply and Demand**

Sat, Sep 23, 2023	Island System Outlook ³	Seven-Day Forecast	Temperature (°C)		Island System Daily Peak Demand (MW)	
			Morning	Evening	Forecast	Adjusted ⁷
Available Island System Supply: ⁵	1,295 MW	Saturday, September 23, 2023	10	13	790	790
NLH Island Generation: ^{4,8}	990 MW	Sunday, September 24, 2023	10	12	765	765
NLH Island Power Purchases: ⁶	105 MW	Monday, September 25, 2023	12	7	845	845
Other Island Generation:	200 MW	Tuesday, September 26, 2023	8	8	850	850
ML/LIL Imports:	- MW	Wednesday, September 27, 2023	9	8	820	820
Current St. John's Temperature & Windchill:	9 °C	Thursday, September 28, 2023	12	13	780	780
7-Day Island Peak Demand Forecast:	850 MW	Friday, September 29, 2023	13	11	780	780

Supply Notes For September 23, 2023

- Notes:
1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
 2. Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a requirement for some customer's load to be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding (UFLS), is necessary to ensure the integrity and reliability of system equipment. Under frequency events have typically occurred 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes. With the activation of the Maritime Link frequency controller during the winter of 2018, UFLS events have occurred less frequently.
 3. As of 0800 Hours.
 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
 5. Gross output from all Island sources (including Note 4).
 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
 7. Adjusted for curtailable load, market activities and the impact of voltage reduction when applicable.
 8. Due to limitations inherent in the design of combustion turbines, the output of combustion turbines may be reduced in the event that ambient temperatures exceed the threshold

**Section 3
Island Peak Demand Information
Previous Day Actual Peak and Current Day Forecast Peak**

Fri, Sep 22, 2023	Actual Island Peak Demand ⁹	8:00	805 MW
Sat, Sep 23, 2023	Forecast Island Peak Demand		790 MW

Notes: 9. Island Demand / LIL / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).