


Newfoundland Labrador Hydro (NLH)
Supply and Demand Status Report Filed Friday, October 10, 2025

Section 1
Island Interconnected System - Supply, Demand & Exports
Actual 24 Hour System Performance For Thursday, October 09, 2025



Island Supply Notes For October 09, 2025¹

- AAs of 0800 hours, March 30, 2025, Holyrood Unit 3 unavailable due to planned outage 130 MW (150 MW).
- BAs of 0823 hours, March 31, 2025, Bay d'Espoir Unit 1 unavailable due to planned outage (76.5 MW).
- CAs of 0823 hours, March 31, 2025, Bay d'Espoir Unit 2 unavailable due to planned outage (76.5 MW).
- DAs of 2000 hours, September 13, 2025, Holyrood Unit 2 unavailable due to forced extension to planned outage 115 MW (170 MW).
- EAs of 1312 hours, September 17, 2025, St. Anthony Diesel Plant unavailable due to a planned outage (9.7 MW).
- FAs of 1829 hours, October 08, 2025, Labrador Island Link available at 450 MW due to planned derating (700 MW) - Monopole.
- GAt 1502 hours, October 09, 2025, Holyrood Unit 1 available at 100 MW due to forced derating (170 MW).

Section 2
Island Interconnected System - Supply, Demand & Outlook

Fri, Oct 10, 2025	Island System Outlook ²	Seven-Day Forecast	Island System Daily Peak Demand (MW)	
			Forecast ⁸	Adjusted ⁶
Island System Supply: ⁴ NLH Island Generation: ^{3,7} NLH Island Power Purchases: ⁵ NP and CBPP Owned Generation: LIL/ML Net Imports to Island: ⁹	1,496 MW 1,140 MW 35 MW 155 MW 166 MW	Friday, October 10, 2025	855	805
		Saturday, October 11, 2025	795	745
		Sunday, October 12, 2025	870	820
		Monday, October 13, 2025	860	810
		Tuesday, October 14, 2025	870	820
		Wednesday, October 15, 2025	940	890
7-Day Island Peak Demand Forecast:	940 MW	Thursday, October 16, 2025	930	880

Island Supply Notes For October 10, 2025

- Notes:
1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. Hydro schedules outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
2. As of 0800 Hours.
3. Gross continuous unit output.
4. Gross output from all Island sources (including Note 3).
5. NLH Island Power Purchases include: ML Imports, Exploits Generation, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
6. Adjusted for interruptible load and the impact of voltage reduction when applicable.
7. Due to limitations inherent in the design of combustion turbines, the output of combustion turbines may be reduced in the event that ambient temperatures exceed the threshold required for full rated output. This threshold is dependent on the design of each turbine.
8. Does not include ML Exports.
9. LIL Import sunk in the Island System. Actual LIL flows will be restricted by various system conditions including, but not limited to, Island Load, ML Exports and Avalon Unit status.

Section 3
Island Peak Demand and Exports Information
Previous Day Actual Peak and Current Day Forecast Peak

Thu, Oct 09, 2025	Island Peak Demand ¹⁰	17:45	726 MW
	Exports at Peak		263 MW
	LIL Net Imports to Island		1,068 MWh
Fri, Oct 10, 2025	Forecast Island Peak Demand		855 MW

- Notes:
10. Island Demand is supplied by NLH generation and purchases, LIL Imports plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).