


Newfoundland Labrador Hydro (NLH)
Supply and Demand Status Report Filed Wednesday, January 07, 2026

Section 1
Island Interconnected System - Supply, Demand & Exports
Actual 24 Hour System Performance For Tuesday, January 06, 2026



Island Supply Notes For January 06, 2026

¹
A As of 0800 hours, March 30, 2025, Holyrood Unit 3 unavailable due to planned outage 130 MW (150 MW).
B As of 0823 hours, March 31, 2025, Bay d'Espoir Unit 1 unavailable due to planned outage (76.5 MW).
C As of 1642 hours, December 17, 2025, Holyrood Unit 1 available at 160 MW due to forced derating (170 MW).
D As of 1425 hours, December 22, 2025, St. Anthony Diesel Plant available at 7.7 MW due to forced derating (9.7 MW).

Section 2
Island Interconnected System - Supply, Demand & Outlook

Wed, Jan 07, 2026	Island System Outlook ²	Seven-Day Forecast	Island System Daily Peak Demand (MW)
			Forecast ⁸ Adjusted ⁶
Island System Supply: ⁴	2,173 MW	Wednesday, January 7, 2026	1,340 1,245
NLH Island Generation: ^{3,7}	1,455 MW	Thursday, January 8, 2026	1,200 1,106
NLH Island Power Purchases: ⁵	70 MW	Friday, January 9, 2026	1,330 1,235
NP and CBPP Owned Generation:	220 MW	Saturday, January 10, 2026	1,235 1,141
LIL/ML Net Imports to Island: ⁹	428 MW	Sunday, January 11, 2026	1,275 1,180
7-Day Island Peak Demand Forecast:	1,430 MW	Monday, January 12, 2026	1,330 1,235
		Tuesday, January 13, 2026	1,430 1,333

Island Supply Notes For January 07, 2026

Notes: 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. Hydro schedules outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
2. As of 0800 Hours.
3. Gross continuous unit output.
4. Gross output from all Island sources (including Note 3).
5. NLH Island Power Purchases include: ML Imports, Exploits Generation, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
6. Adjusted for interruptible load and the impact of voltage reduction when applicable.
7. Due to limitations inherent in the design of combustion turbines, the output of combustion turbines may be reduced in the event that ambient temperatures exceed the threshold required for full rated output. This threshold is dependent on the design of each turbine.
8. Does not include ML Exports.
9. LIL Import sunk in the Island System. Actual LIL flows will be restricted by various system conditions including, but not limited to, Island Load, ML Exports and Avalon Unit status.

Section 3
Island Peak Demand and Exports Information
Previous Day Actual Peak and Current Day Forecast Peak

Tue, Jan 06, 2026	Island Peak Demand ¹⁰	17:00	1,471 MW
	Exports at Peak		161 MW
	LIL Net Imports to Island		9,766 MWh
Wed, Jan 07, 2026	Forecast Island Peak Demand		1,340 MW

Notes: 10. Island Demand is supplied by NLH generation and purchases, LIL Imports plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).